Certificate of Analysis



Level 2, 321 Kent Street, Sydney NSW 2000, Australia

Phone: +61 2 8228 2719 Fmail: info@geneabiomedx.com Website: geneabiomedx.com

Product Details

Product description: Fertilisation Medium

Product code: FEM-50

Lot number: J000007099

Expiry date: 25 Nov. 2025

Intended Use

Fertilisation Medium is used to provide a suitable environment for both oocytes and sperm, to promote optimal

USA only: Gems Fertilisation Medium is used to provide a suitable environment for both oocytes and sperm and support in vitro fertilisation. This medium can be used for transfer of zygotes into the uterus.

Caution: Federal law (USA) restricts this device to sale by or on the order of a physician or practitioner trained in its use.

Product Analysis

Assay	Specification	Result
pH at 37°C with 6 % CO ₂	7.3 – 7.5	Pass
Osmolality	295 – 305 mOsm/kg	Pass
MEA	MEA (1-cell): ≥80% developed to blastocyst stage or beyond by 96 hours	Pass
Endotoxin	<0.40 EU/mL	Pass
Sterility	No Growth	Pass
HSA Analysis	3.75 - 6.25 mg/mL	Pass
Gentamicin	0.0075 – 0.0125 mg/mL	Pass

Product passed and released by Quality

Electronically signed by: Signature:

Eila McGregor Reason: QA Approval Date: Mar 12, 2025 11:42

Name: Eila McGregor

Job Title: **Quality Assurance Associate**

Date: 12 Mar. 2025

QFRM208-12 Page 1 of 1

Certificate of Analysis - J000007099

Final Audit Report 2025-03-12

Created: 2025-03-12 (Australian Eastern Daylight Time)

By: Eila McGregor (eila.mcgregor@geneabiomedx.com)

Status: Signed

Transaction ID: CBJCHBCAABAAUaU0-O4oSB-u7PrsBEvs5q9V_YIPS_8J

"Certificate of Analysis - J000007099" History

Document created by Eila McGregor (eila.mcgregor@geneabiomedx.com) 2025-03-12 - 11:41:16 AM GMT+11- IP address: 125.7.7.82

Document emailed to Eila McGregor (eila.mcgregor@geneabiomedx.com) for signature 2025-03-12 - 11:41:34 AM GMT+11

Email viewed by Eila McGregor (eila.mcgregor@geneabiomedx.com)

2025-03-12 - 11:41:44 AM GMT+11- IP address: 20.28.53.228

Eila McGregor (eila.mcgregor@geneabiomedx.com) authenticated with Adobe Acrobat Sign.

Challenge: The user opened the agreement.

2025-03-12 - 11:42:13 AM GMT+11

Document e-signed by Eila McGregor (eila.mcgregor@geneabiomedx.com)

Signing reason: QA Approval

Signature Date: 2025-03-12 - 11:42:45 AM GMT+11 - Time Source: server- IP address: 125.7.7.82

Agreement completed.

2025-03-12 - 11:42:45 AM GMT+11

Eila McGregor (eila.mcgregor@geneabiomedx.com) authenticated with Adobe Acrobat Sign.

Challenge: The user completed the signing ceremony.

2025-03-12 - 11:42:45 AM GMT+11

