

Certificate of Analysis



Level 2, 321 Kent Street, Sydney NSW 2000, Australia

Phone: +61 2 8228 2719
Email: info@geneabiomedx.com
Website: geneabiomedx.com

Product Details

Product description: Fertilisation Medium
Product code: FEM-50
Lot number: J000007166
Expiry date: 05 Jan. 2026

Intended Use

Fertilisation Medium is used to provide a suitable environment for both oocytes and sperm, to promote optimal fertilisation rates.

USA only: Gems Fertilisation Medium is used to provide a suitable environment for both oocytes and sperm and support *in vitro* fertilisation. This medium can be used for transfer of zygotes into the uterus.

Caution: Federal law (USA) restricts this device to sale by or on the order of a physician or practitioner trained in its use.

Product Analysis

Assay	Specification	Result
pH at 37°C with 6 % CO ₂	7.3 – 7.5	Pass
Osmolality	295 – 305 mOsm/kg	Pass
MEA	MEA (1-cell): ≥80% developed to blastocyst stage or beyond by 96 hours	Pass
Endotoxin	<0.40 EU/mL	Pass
Sterility	No Growth	Pass
HSA Analysis	3.75 - 6.25 mg/mL	Pass
Gentamicin	0.0075 – 0.0125 mg/mL	Pass

Product passed and released by Quality

Signature: 
Electronically signed by:
Eila McGregor
Reason: QA Approval
Date: Mar 25, 2025 08:11
GMT+11

Name: Eila McGregor
Job Title: Quality Assurance Associate
Date: 25 Mar. 2025








Certificate of Analysis - J000007166

Final Audit Report

2025-03-25

Created:	2025-03-25 (Australian Eastern Daylight Time)
By:	Eila McGregor (eila.mcgregor@geneabiomedx.com)
Status:	Signed
Transaction ID:	CBJCHBCAABAAVYQ6qETe7_UyjS-Tu7EbFofhcR58nKAr

"Certificate of Analysis - J000007166" History

-  Document created by Eila McGregor (eila.mcgregor@geneabiomedx.com)
2025-03-25 - 8:10:24 AM GMT+11- IP address: 163.47.70.127
-  Document emailed to Eila McGregor (eila.mcgregor@geneabiomedx.com) for signature
2025-03-25 - 8:10:41 AM GMT+11
-  Email viewed by Eila McGregor (eila.mcgregor@geneabiomedx.com)
2025-03-25 - 8:10:48 AM GMT+11- IP address: 20.28.53.228
-  Eila McGregor (eila.mcgregor@geneabiomedx.com) authenticated with Adobe Acrobat Sign.
Challenge: The user opened the agreement.
2025-03-25 - 8:11:05 AM GMT+11
-  Eila McGregor (eila.mcgregor@geneabiomedx.com) authenticated with Adobe Acrobat Sign.
Challenge: The user completed the signing ceremony.
2025-03-25 - 8:11:30 AM GMT+11
-  Document e-signed by Eila McGregor (eila.mcgregor@geneabiomedx.com)
Signing reason: QA Approval
Signature Date: 2025-03-25 - 8:11:31 AM GMT+11 - Time Source: server- IP address: 163.47.70.127
-  Agreement completed.
2025-03-25 - 8:11:31 AM GMT+11