Certificate of Analysis



Phone: Email: Website:

+61 2 8228 2719 info@geneabiomedx.com geneabiomedx.com

Product Details

Product description:	Oocyte Retrieval Buffer
Product code	ORB-50
Lot number:	J000007203
Expiry date:	27 Jan. 2026

Intended Use

Gems Oocyte Retrieval Buffer is used in the removal of oocytes from ovarian follicles.

Caution: Federal law (USA) restricts this device to sale by or on the order of a physician or practitioner trained in its use.

Product Analysis

Assay	Specification	Result
pH at 25 °C in air	7.3 – 7.5	Pass
Osmolality	280 – 290 mOsm/kg	Pass
MEA	MEA (1-cell): ≥80% developed to blastocyst stage or beyond by 96 hours	Pass
Endotoxin	<0.40 EU/mL	Pass
Sterility	No Growth	Pass
Gentamicin	0.0075 – 0.0125 mg/mL	Pass

Product passed and released by Quality

Signature:	Employed by Electronically signed by Eila McGregor Reason: QA Approval Date: May 6, 2025 15:0. GMT+10	
Name:	Eila McGregor	
Job Title:	Quality Assurance Associate	
Date:	06 May. 2025	

Certificate of Analysis - J000007203

Final Audit Report

2025-05-06

I		
	Created:	2025-05-06 (Australian Eastern Standard Time)
	By:	Eila McGregor (eila.mcgregor@geneabiomedx.com)
	Status:	Signed
	Transaction ID:	CBJCHBCAABAAhDmYyWX7wTXB38QDMhjG0QDJmecArO_t

"Certificate of Analysis - J000007203" History

- Document created by Eila McGregor (eila.mcgregor@geneabiomedx.com) 2025-05-06 3:01:22 PM GMT+10- IP address: 163.47.70.127
- Document emailed to Eila McGregor (eila.mcgregor@geneabiomedx.com) for signature 2025-05-06 - 3:01:37 PM GMT+10
- Email viewed by Eila McGregor (eila.mcgregor@geneabiomedx.com) 2025-05-06 - 3:01:46 PM GMT+10- IP address: 48.215.3.154
- Eila McGregor (eila.mcgregor@geneabiomedx.com) authenticated with Adobe Acrobat Sign. Challenge: The user opened the agreement.
 2025-05-06 - 3:02:07 PM GMT+10
- Eila McGregor (eila.mcgregor@geneabiomedx.com) authenticated with Adobe Acrobat Sign.
 Challenge: The user completed the signing ceremony.
 2025-05-06 3:02:33 PM GMT+10
- Document e-signed by Eila McGregor (eila.mcgregor@geneabiomedx.com) Signing reason: QA Approval Signature Date: 2025-05-06 - 3:02:34 PM GMT+10 - Time Source: server- IP address: 163.47.70.127
- Agreement completed.
 2025-05-06 3:02:34 PM GMT+10

