Certificate of Analysis



Level 2, 321 Kent Street, Sydney NSW 2000, Australia

Phone: +61 2 8228 2719
Email: info@geneabiomedx.com
Website: geneabiomedx.com

Product Details

Product description: Fertilisation Medium

Product code: FEM-50

Lot number: J000007236

Expiry date: 24 Feb. 2026

Intended Use

Fertilisation Medium is used to provide a suitable environment for both oocytes and sperm, to promote optimal fertilisation rates.

USA only: Gems Fertilisation Medium is used to provide a suitable environment for both oocytes and sperm and support *in vitro* fertilisation. This medium can be used for transfer of zygotes into the uterus.

Caution: Federal law (USA) restricts this device to sale by or on the order of a physician or practitioner trained in its use.

Product Analysis

Assay	Specification	Result
pH at 37°C with 6 % CO ₂	7.3 – 7.5	Pass
Osmolality	295 – 305 mOsm/kg	Pass
MEA	MEA (1-cell): ≥80% developed to blastocyst stage or beyond by 96 hours	Pass
Endotoxin	<0.40 EU/mL	Pass
Sterility	No Growth	Pass
HSA Analysis	3.75 - 6.25 mg/mL	Pass
Gentamicin	0.0075 – 0.0125 mg/mL	Pass

Product passed and released by Quality

Signature: Emoretor

Electronically signed by: Eila McGregor Reason: QA Approval Date: May 13, 2025 11:54 GMT+10

Name: Eila McGregor

Job Title: Quality Assurance Associate

Date: 13 May. 2025

QFRM208-12 Page 1 of 1

Certificate of Analysis - J000007236

Final Audit Report 2025-05-13

Created: 2025-05-13 (Australian Eastern Standard Time)

By: Eila McGregor (eila.mcgregor@geneabiomedx.com)

Status: Signed

Transaction ID: CBJCHBCAABAAS7Ditkyg9gVyfGbGp6p6L-H1IuM5VsSv

"Certificate of Analysis - J000007236" History

Document created by Eila McGregor (eila.mcgregor@geneabiomedx.com) 2025-05-13 - 11:53:41 AM GMT+10- IP address: 163.47.70.127

- Document emailed to Eila McGregor (eila.mcgregor@geneabiomedx.com) for signature 2025-05-13 11:53:58 AM GMT+10
- Email viewed by Eila McGregor (eila.mcgregor@geneabiomedx.com) 2025-05-13 11:54:05 AM GMT+10- IP address: 48.215.3.173
- Eila McGregor (eila.mcgregor@geneabiomedx.com) authenticated with Adobe Acrobat Sign. Challenge: The user opened the agreement.

2025-05-13 - 11:54:16 AM GMT+10

Document e-signed by Eila McGregor (eila.mcgregor@geneabiomedx.com)

Signing reason: QA Approval

Signature Date: 2025-05-13 - 11:54:37 AM GMT+10 - Time Source: server- IP address: 163.47.70.127

Agreement completed.

2025-05-13 - 11:54:37 AM GMT+10

Eila McGregor (eila.mcgregor@geneabiomedx.com) authenticated with Adobe Acrobat Sign.

Challenge: The user completed the signing ceremony.

2025-05-13 - 11:54:37 AM GMT+10

