

Certificate of Analysis



Level 2, 321 Kent Street, Sydney NSW 2000, Australia

Phone: +61 2 8228 2719
Email: info@geneabiomedx.com
Website: geneabiomedx.com

Product Details

Product description: Oocyte Retrieval Buffer
Product code ORB-50
Lot number: J000007319
Expiry date: 16 Apr. 2026

Intended Use

Gems Oocyte Retrieval Buffer is used in the removal of oocytes from ovarian follicles.

Caution: Federal law (USA) restricts this device to sale by or on the order of a physician or practitioner trained in its use.

Product Analysis

Assay	Specification	Result
pH at 25 °C in air	7.3 – 7.5	Pass
Osmolality	280 – 290 mOsm/kg	Pass
MEA	MEA (1-cell): ≥80% developed to blastocyst stage or beyond by 96 hours	Pass
Endotoxin	<0.40 EU/mL	Pass
Sterility	No Growth	Pass
Gentamicin	0.0075 – 0.0125 mg/mL	Pass

Product passed and released by Quality

Signature:  Electronically signed by: Eila McGregor
Reason: QA Approval
Date: Jun 13, 2025 16:02 GMT+10

Name: Eila McGregor
Job Title: Quality Assurance Associate
Date: 13 Jun. 2025








Certificate of Analysis - J000007319

Final Audit Report

2025-06-13

Created:	2025-06-13 (Australian Eastern Standard Time)
By:	Eila McGregor (eila.mcgregor@geneabiomedx.com)
Status:	Signed
Transaction ID:	CBJCHBCAABAAyq1SNYyJzJethHsr8tHRX4ZzzFDa-_THm

"Certificate of Analysis - J000007319" History

-  Document created by Eila McGregor (eila.mcgregor@geneabiomedx.com)
2025-06-13 - 4:01:22 PM GMT+10- IP address: 163.47.70.127
-  Document emailed to Eila McGregor (eila.mcgregor@geneabiomedx.com) for signature
2025-06-13 - 4:01:39 PM GMT+10
-  Email viewed by Eila McGregor (eila.mcgregor@geneabiomedx.com)
2025-06-13 - 4:01:46 PM GMT+10- IP address: 68.218.165.142
-  Eila McGregor (eila.mcgregor@geneabiomedx.com) authenticated with Adobe Acrobat Sign.
Challenge: The user opened the agreement.
2025-06-13 - 4:02:07 PM GMT+10
-  Document e-signed by Eila McGregor (eila.mcgregor@geneabiomedx.com)
Signing reason: QA Approval
Signature Date: 2025-06-13 - 4:02:29 PM GMT+10 - Time Source: server- IP address: 163.47.70.127
-  Agreement completed.
2025-06-13 - 4:02:29 PM GMT+10
-  Eila McGregor (eila.mcgregor@geneabiomedx.com) authenticated with Adobe Acrobat Sign.
Challenge: The user completed the signing ceremony.
2025-06-13 - 4:02:29 PM GMT+10