

# Certificate of Analysis



Level 2, 321 Kent Street, Sydney NSW 2000, Australia

Phone: +61 2 8228 2719  
Email: [info@geneabiomedx.com](mailto:info@geneabiomedx.com)  
Website: [geneabiomedx.com](http://geneabiomedx.com)

## Product Details

**Product description:** Sperm Wash Gradient Set  
**Product code** SWG-01  
**Lot number:** J000007213  
**Expiry date:** 03 Feb. 2026

## Intended Use

Sperm Wash Gradient Set is used to separate sperm from seminal plasma as well as separating highly motile sperm in preparation for insemination.

## Product Analysis

Assay	Specification		Result
	45% gradient	90% gradient	
pH at 25 °C in air	7.3 – 7.5		Pass
Osmolality	285 - 295 mOsm/kg	280 - 290 mOsm/kg	Pass
Sperm Toxicity Test	Sperm Survival Tested		Pass
Endotoxin	<0.40 EU/mL		Pass
Sterility	No Growth		Pass
HSA Analysis	7.50 – 12.50 mg/mL		Pass
Gentamicin	0.0075 – 0.0125 mg/mL		Pass

## Product passed and released by Quality

**Signature:**

A handwritten signature in black ink, appearing to read 'Daire Dowling', written over a light blue horizontal line.

Electronically signed by: Daire  
Dowling  
Reason: QA Approval  
Date: Sep 1, 2025 16:13:55 GMT+1

**Name:** Dáire Dowling

**Job Title:** Quality Assurance Associate

**Date:** 01 Sep. 2025








# Certificate of Analysis -J000007213

Final Audit Report

2025-09-02

Created:	2025-09-02 (Australian Eastern Standard Time)
By:	Daire Dowling (daire.dowling@geneabiomedx.com)
Status:	Signed
Transaction ID:	CBJCHBCAABAAGVHoBOPklwAp9BsErhT4bzsNWtcepe4_

## "Certificate of Analysis -J000007213" History

-  Document created by Daire Dowling (daire.dowling@geneabiomedx.com)  
2025-09-02 - 1:11:12 AM GMT+10- IP address: 89.19.79.99
-  Document emailed to Daire Dowling (daire.dowling@geneabiomedx.com) for signature  
2025-09-02 - 1:12:16 AM GMT+10
-  Email viewed by Daire Dowling (daire.dowling@geneabiomedx.com)  
2025-09-02 - 1:12:24 AM GMT+10- IP address: 48.215.4.33
-  Daire Dowling (daire.dowling@geneabiomedx.com) authenticated with Adobe Acrobat Sign.  
Challenge: The user opened the agreement.  
2025-09-02 - 1:12:38 AM GMT+10
-  Daire Dowling (daire.dowling@geneabiomedx.com) authenticated with Adobe Acrobat Sign.  
Challenge: The user completed the signing ceremony.  
2025-09-02 - 1:13:53 AM GMT+10
-  Document e-signed by Daire Dowling (daire.dowling@geneabiomedx.com)  
Signing reason: QA Approval  
Signature Date: 2025-09-02 - 1:13:55 AM GMT+10 - Time Source: server- IP address: 89.19.79.99
-  Agreement completed.  
2025-09-02 - 1:13:55 AM GMT+10