

Certificate of Analysis



Level 2, 321 Kent Street, Sydney NSW 2000, Australia

Phone: +61 2 8228 2719
Email: info@geneabiomedx.com
Website: geneabiomedx.com

Product Details

Product description: Blastocyst Medium
Product code BLM-50
Lot number: J000007441
Expiry date: 06 Jul. 2026

Intended Use

Blastocyst Medium is used to provide necessary nutrients for embryo development *in vitro* from the cleavage stage to the blastocyst stage. The embryos may remain in this solution for up to 3 days prior to being transferred to the uterus.

USA only: Gems Blastocyst Medium is for *in vitro* culture of embryos from the cleavage stage to the blastocyst stage of development. This medium can be used for transfer of blastocyst stage embryos into the uterus.

Caution: Federal law (USA) restricts this device to sale by or on the order of a physician or practitioner trained in its use.

Product Analysis

Assay	Specification	Result
pH at 37°C with 6 % CO ₂	7.25 – 7.45	Pass
Osmolality	285 – 295 mOsm/kg	Pass
MEA	MEA (1-cell): ≥80% developed to blastocyst stage or beyond by 96 hours	Pass
Endotoxin	<0.40 EU/mL	Pass
Sterility	No Growth	Pass
HSA Analysis	3.75 - 6.25 mg/mL	Pass
Gentamicin	0.0075 – 0.0125 mg/mL	Pass

Product passed and released by Quality

Signature:  Electronically signed by: Daire Dowling
Reason: QA Approval
Date: Sep 5, 2025 16:39:59 GMT+1

Name: Dáire Dowling

Job Title: Quality Assurance Associate

Date: 05 Sep. 2025








Certificate of Analysis - J000007441

Final Audit Report

2025-09-06

Created:	2025-09-06 (Australian Eastern Standard Time)
By:	Daire Dowling (daire.dowling@geneabiomedx.com)
Status:	Signed
Transaction ID:	CBJCHBCAABAA7lq3atjEfcIIIP2Q0qrqXrD2tCN8vpOng

"Certificate of Analysis - J000007441" History

-  Document created by Daire Dowling (daire.dowling@geneabiomedx.com)
2025-09-06 - 1:36:45 AM GMT+10- IP address: 89.19.79.118
-  Document emailed to Daire Dowling (daire.dowling@geneabiomedx.com) for signature
2025-09-06 - 1:39:05 AM GMT+10
-  Email viewed by Daire Dowling (daire.dowling@geneabiomedx.com)
2025-09-06 - 1:39:21 AM GMT+10- IP address: 4.199.143.157
-  Daire Dowling (daire.dowling@geneabiomedx.com) authenticated with Adobe Acrobat Sign.
Challenge: The user opened the agreement.
2025-09-06 - 1:39:27 AM GMT+10
-  Daire Dowling (daire.dowling@geneabiomedx.com) authenticated with Adobe Acrobat Sign.
Challenge: The user completed the signing ceremony.
2025-09-06 - 1:39:57 AM GMT+10
-  Document e-signed by Daire Dowling (daire.dowling@geneabiomedx.com)
Signing reason: QA Approval
Signature Date: 2025-09-06 - 1:39:59 AM GMT+10 - Time Source: server- IP address: 89.19.79.118
-  Agreement completed.
2025-09-06 - 1:39:59 AM GMT+10