

Certificate of Analysis



Level 2, 321 Kent Street, Sydney NSW 2000, Australia

Phone: +61 2 8228 2719
Email: info@geneabiomedx.com
Website: geneabiomedx.com

Product Details

Product description: Oocyte Retrieval Buffer
Product code ORB-50
Lot number: J000007456
Expiry date: 15 Jul. 2026

Intended Use

Gems Oocyte Retrieval Buffer is used in the removal of oocytes from ovarian follicles.

Caution: Federal law (USA) restricts this device to sale by or on the order of a physician or practitioner trained in its use.

Product Analysis

Assay	Specification	Result
pH at 25 °C in air	7.3 – 7.5	Pass
Osmolality	280 – 290 mOsm/kg	Pass
MEA	MEA (1-cell): ≥80% developed to blastocyst stage or beyond by 96 hours	Pass
Endotoxin	<0.40 EU/mL	Pass
Sterility	No Growth	Pass
Gentamicin	0.0075 – 0.0125 mg/mL	Pass

Product passed and released by Quality

Signature:

A handwritten signature in black ink, appearing to read 'Daire Dowling'.

Electronically signed by: Daire Dowling
Reason: QA Approval
Date: Sep 8, 2025 14:48:51 GMT+1

Name: Daire Dowling

Job Title: Quality Assurance Associate

Date: 08 Sep. 2025








Certificate of Analysis - J000007456

Final Audit Report

2025-09-08

Created:	2025-09-08 (Australian Eastern Standard Time)
By:	Daire Dowling (daire.dowling@geneabiomedx.com)
Status:	Signed
Transaction ID:	CBJCHBCAABAAAppu3ISAKfIQQbuFXiSXIhvj7977OA487

"Certificate of Analysis - J000007456" History

-  Document created by Daire Dowling (daire.dowling@geneabiomedx.com)
2025-09-08 - 11:45:45 PM GMT+10- IP address: 89.19.79.66
-  Document emailed to Daire Dowling (daire.dowling@geneabiomedx.com) for signature
2025-09-08 - 11:46:08 PM GMT+10
-  Email viewed by Daire Dowling (daire.dowling@geneabiomedx.com)
2025-09-08 - 11:46:14 PM GMT+10- IP address: 4.199.143.130
-  Daire Dowling (daire.dowling@geneabiomedx.com) authenticated with Adobe Acrobat Sign.
Challenge: The user opened the agreement.
2025-09-08 - 11:48:09 PM GMT+10
-  Daire Dowling (daire.dowling@geneabiomedx.com) authenticated with Adobe Acrobat Sign.
Challenge: The user completed the signing ceremony.
2025-09-08 - 11:48:49 PM GMT+10
-  Document e-signed by Daire Dowling (daire.dowling@geneabiomedx.com)
Signing reason: QA Approval
Signature Date: 2025-09-08 - 11:48:51 PM GMT+10 - Time Source: server- IP address: 89.19.79.66
-  Agreement completed.
2025-09-08 - 11:48:51 PM GMT+10