

# Certificate of Analysis



Level 2, 321 Kent Street, Sydney NSW 2000, Australia

Phone: +61 2 8228 2719  
Email: [info@geneabiomedx.com](mailto:info@geneabiomedx.com)  
Website: [geneabiomedx.com](http://geneabiomedx.com)

## Product Details

**Product description:** Sperm Buffer  
**Product code** SPB-50  
**Lot number:** J000007536  
**Expiry date:** 03 Sep. 2026

## Intended Use

Sperm Buffer is used to wash and resuspend sperm for the insemination step in intrauterine insemination (IUI), IVF or in diagnostic washing.

## Product Analysis

Assay	Specification	Result
pH at 25 °C in air	7.3 – 7.5	Pass
Osmolality	285 – 295 mOsm/kg	Pass
MEA	MEA (1-cell): ≥80% developed to blastocyst stage or beyond by 96 hours	Pass
Sperm Toxicity Test	Sperm Survival Tested	Pass
Endotoxin	<0.40 EU/mL	Pass
Sterility	No Growth	Pass
HSA Analysis	7.50 – 12.50 mg/mL	Pass
Gentamicin	0.0075 – 0.0125 mg/mL	Pass

## Product passed and released by Quality

**Signature:**

A handwritten signature in black ink, appearing to be 'H Du'.

Electronically signed by: Heather  
Du  
Reason: QA  
Date: Oct 2, 2025 13:55:43 GMT+10

**Name:** Heather Du

**Job Title:** QA coordinator

**Date:** 02 Oct. 2025








# Certificate of Analysis - J000007536

Final Audit Report

2025-10-02

Created:	2025-10-02 (Australian Eastern Standard Time)
By:	Heather Du (heather.du@geneabiomedx.com)
Status:	Signed
Transaction ID:	CBJCHBCAABAAz0IXzW6zUVnJXRBGcmvT_KeuWnQPH8bN

## "Certificate of Analysis - J000007536" History

-  Document created by Heather Du (heather.du@geneabiomedx.com)  
2025-10-02 - 1:53:56 PM GMT+10- IP address: 110.21.196.47
-  Document emailed to Heather Du (heather.du@geneabiomedx.com) for signature  
2025-10-02 - 1:54:09 PM GMT+10
-  Email viewed by Heather Du (heather.du@geneabiomedx.com)  
2025-10-02 - 1:54:14 PM GMT+10- IP address: 68.218.165.131
-  Heather Du (heather.du@geneabiomedx.com) authenticated with Adobe Acrobat Sign.  
Challenge: The user opened the agreement.  
2025-10-02 - 1:55:12 PM GMT+10
-  Document e-signed by Heather Du (heather.du@geneabiomedx.com)  
Signing reason: QA  
Signature Date: 2025-10-02 - 1:55:43 PM GMT+10 - Time Source: server- IP address: 110.21.196.47
-  Agreement completed.  
2025-10-02 - 1:55:43 PM GMT+10
-  Heather Du (heather.du@geneabiomedx.com) authenticated with Adobe Acrobat Sign.  
Challenge: The user completed the signing ceremony.  
2025-10-02 - 1:55:43 PM GMT+10