

Certificate of Analysis



Level 2, 321 Kent Street, Sydney NSW 2000, Australia

Phone: +61 2 8228 2719
Email: info@geneabiomedx.com
Website: geneabiomedx.com

Product Details

Product description: Cleavage Medium
Product code CLM-50
Lot number: J000007671
Expiry date: 24 Nov. 2026

Intended Use

Cleavage Medium is used to provide necessary nutrients for embryo development *in vitro*. The embryos can remain in this solution for up to 2 days prior to being transferred to the uterus or grown for up to another 3 days in Blastocyst Medium (BLM-20, BLM-50).

USA only: Gems Cleavage Medium is for *in vitro* culture of embryos following fertilisation to the 4-8 cell stage. This medium can be used for transfer of cleavage stage embryos into the uterus.

Caution: Federal law (USA) restricts this device to sale by or on the order of a physician or practitioner trained in its use.

Product Analysis

Assay	Specification	Result
pH at 37 °C with 6% CO ₂	7.3 – 7.5	Pass
Osmolality	285 – 295 mOsm/kg	Pass
MEA	MEA (1-cell): ≥80% developed to blastocyst stage or beyond by 96 hours	Pass
Endotoxin	<0.40 EU/mL	Pass
Sterility	No Growth	Pass
HSA Analysis	3.75 – 6.25 mg/mL	Pass
Gentamicin	0.0075 – 0.0125 mg/mL	Pass

Product passed and released by Quality

Signature:

Electronically signed by: Nicole Connor
Reason: QA Approval
Date: Jan 7, 2026 11:17:43 GMT+11

Name: Nicole Connor

Job Title: Quality Assurance Associate

Date: 07 Jan. 2026








Certificate of Analysis- J000007671

Final Audit Report

2026-01-07

Created:	2026-01-07 (Australian Eastern Daylight Time)
By:	Nicole Connor (nicole.connor@geneabiomedx.com)
Status:	Signed
Transaction ID:	CBJCHBCAABAAk5DfUf_NIIN-kY_531pvZ60soOHDGm53

"Certificate of Analysis- J000007671" History

-  Document created by Nicole Connor (nicole.connor@geneabiomedx.com)
2026-01-07 - 11:14:36 AM GMT+11- IP address: 149.167.36.126
-  Document emailed to Nicole Connor (nicole.connor@geneabiomedx.com) for signature
2026-01-07 - 11:14:56 AM GMT+11
-  Email viewed by Nicole Connor (nicole.connor@geneabiomedx.com)
2026-01-07 - 11:15:04 AM GMT+11- IP address: 48.215.3.173
-  Nicole Connor (nicole.connor@geneabiomedx.com) authenticated with Adobe Acrobat Sign.
Challenge: The user opened the agreement.
2026-01-07 - 11:15:15 AM GMT+11
-  Nicole Connor (nicole.connor@geneabiomedx.com) authenticated with Adobe Acrobat Sign.
Challenge: The user completed the signing ceremony.
2026-01-07 - 11:17:42 AM GMT+11
-  Document e-signed by Nicole Connor (nicole.connor@geneabiomedx.com)
Signing reason: QA Approval
Signature Date: 2026-01-07 - 11:17:43 AM GMT+11 - Time Source: server- IP address: 149.167.36.126
-  Agreement completed.
2026-01-07 - 11:17:43 AM GMT+11