

# Certificate of Analysis



Level 2, 321 Kent Street, Sydney NSW 2000, Australia

Phone: +61 2 8228 2719  
Email: [info@geneabiomedx.com](mailto:info@geneabiomedx.com)  
Website: [geneabiomedx.com](http://geneabiomedx.com)

## Product Details

**Product description:** Sperm Buffer  
**Product code** SPB-50  
**Lot number:** J000007687  
**Expiry date:** 30 Nov. 2026

## Intended Use

Sperm Buffer is used to wash and resuspend sperm for the insemination step in intrauterine insemination (IUI), IVF or in diagnostic washing.

## Product Analysis

| Assay               | Specification                                                          | Result |
|---------------------|------------------------------------------------------------------------|--------|
| pH at 25 °C in air  | 7.3 – 7.5                                                              | Pass   |
| Osmolality          | 285 – 295 mOsm/kg                                                      | Pass   |
| MEA                 | MEA (1-cell): ≥80% developed to blastocyst stage or beyond by 96 hours | Pass   |
| Sperm Toxicity Test | Sperm Survival Tested                                                  | Pass   |
| Endotoxin           | <0.40 EU/mL                                                            | Pass   |
| Sterility           | No Growth                                                              | Pass   |
| HSA Analysis        | 7.50 – 12.50 mg/mL                                                     | Pass   |
| Gentamicin          | 0.0075 – 0.0125 mg/mL                                                  | Pass   |

## Product passed and released by Quality

**Signature:**

Electronically signed by: Nicole Connor  
Reason: QA Approval  
Date: Jan 13, 2026 08:38:06 GMT+11

**Name:** Nicole Connor  
**Job Title:** Quality Assurance Associate  
**Date:** 13 Jan. 2026








# Certificate of Analysis- J000007687

Final Audit Report

2026-01-13

|                 |                                                |
|-----------------|------------------------------------------------|
| Created:        | 2026-01-13 (Australian Eastern Daylight Time)  |
| By:             | Nicole Connor (nicole.connor@geneabiomedx.com) |
| Status:         | Signed                                         |
| Transaction ID: | CBJCHBCAABAAj-jv35xgolwiYE5kDQE54AOczl3LbY1-   |

## "Certificate of Analysis- J000007687" History

-  Document created by Nicole Connor (nicole.connor@geneabiomedx.com)  
2026-01-13 - 8:37:01 AM GMT+11- IP address: 149.167.36.126
-  Document emailed to Nicole Connor (nicole.connor@geneabiomedx.com) for signature  
2026-01-13 - 8:37:22 AM GMT+11
-  Email viewed by Nicole Connor (nicole.connor@geneabiomedx.com)  
2026-01-13 - 8:37:28 AM GMT+11- IP address: 68.218.165.129
-  Nicole Connor (nicole.connor@geneabiomedx.com) authenticated with Adobe Acrobat Sign.  
Challenge: The user opened the agreement.  
2026-01-13 - 8:37:41 AM GMT+11
-  Document e-signed by Nicole Connor (nicole.connor@geneabiomedx.com)  
Signing reason: QA Approval  
Signature Date: 2026-01-13 - 8:38:06 AM GMT+11 - Time Source: server- IP address: 149.167.36.126
-  Agreement completed.  
2026-01-13 - 8:38:06 AM GMT+11
-  Nicole Connor (nicole.connor@geneabiomedx.com) authenticated with Adobe Acrobat Sign.  
Challenge: The user completed the signing ceremony.  
2026-01-13 - 8:38:06 AM GMT+11