

Certificate of Analysis



Level 2, 321 Kent Street, Sydney NSW 2000, Australia

Phone: +61 2 8228 2719
Email: info@geneabiomedx.com
Website: geneabiomedx.com

Product Details

Product description: Blastocyst Medium
Product code: BLM-20
Lot number: J000007793
Expiry date: 18 Feb. 2027

Intended Use

Blastocyst Medium is used to provide necessary nutrients for embryo development *in vitro* from the cleavage stage to the blastocyst stage. The embryos may remain in this solution for up to 3 days prior to being transferred to the uterus.

USA only: Gems Blastocyst Medium is for *in vitro* culture of embryos from the cleavage stage to the blastocyst stage of development. This medium can be used for transfer of blastocyst stage embryos into the uterus.

Caution: Federal law (USA) restricts this device to sale by or on the order of a physician or practitioner trained in its use.

Product Analysis

Assay	Specification	Result
pH at 37°C with 6 % CO ₂	7.25 – 7.45	Pass
Osmolality	285 – 295 mOsm/kg	Pass
MEA	MEA (1-cell): ≥80% developed to blastocyst stage or beyond by 96 hours	Pass
Endotoxin	<0.40 EU/mL	Pass
Sterility	No Growth	Pass
HSA Analysis	3.75 - 6.25 mg/mL	Pass
Gentamicin	0.0075 – 0.0125 mg/mL	Pass

Product passed and released by Quality

Signature:  Electronically signed by: Eila Cooper
Reason: QA Approval
Date: Mar 20, 2026 10:47:01 GMT +11

Name: Eila Cooper
Job Title: Quality Assurance Associate
Date: 20 Mar. 2026

Certificate of Analysis- J000007793

Final Audit Report

2026-03-20

Created:	2026-03-20 (Australian Eastern Daylight Time)
By:	Eila Cooper (eila.cooper@geneabiomedx.com)
Status:	Signed
Transaction ID:	CBJCHBCAABAaw6BT1PV7a81YFKozjtl9kW3PyHhJxB37

"Certificate of Analysis- J000007793" History

-  Document created by Eila Cooper (eila.cooper@geneabiomedx.com)
2026-03-20 - 10:36:57 AM GMT+11- IP address: 163.47.70.96
-  Document emailed to Eila Cooper (eila.cooper@geneabiomedx.com) for signature
2026-03-20 - 10:44:21 AM GMT+11
-  Email viewed by Eila Cooper (eila.cooper@geneabiomedx.com)
2026-03-20 - 10:44:43 AM GMT+11- IP address: 4.199.143.156
-  Eila Cooper (eila.cooper@geneabiomedx.com) authenticated with Adobe Acrobat Sign.
Challenge: The user opened the agreement.
2026-03-20 - 10:45:55 AM GMT+11
-  Eila Cooper (eila.cooper@geneabiomedx.com) authenticated with Adobe Acrobat Sign.
Challenge: The user completed the signing ceremony.
2026-03-20 - 10:47:00 AM GMT+11
-  Document e-signed by Eila Cooper (eila.cooper@geneabiomedx.com)
Signing reason: QA Approval
Signature Date: 2026-03-20 - 10:47:01 AM GMT+11 - Time Source: server- IP address: 163.47.70.96
-  Agreement completed.
2026-03-20 - 10:47:01 AM GMT+11