

Certificate of Analysis



Level 2, 321 Kent Street, Sydney NSW 2000, Australia

Phone: +61 2 8228 2719
Email: info@geneabiomedx.com
Website: geneabiomedx.com

Product Details

Product description: Fertilisation Medium
Product code: FEM-50
Lot number: J000007971
Expiry date: 31 May. 2027

Intended Use

Fertilisation Medium is used to provide a suitable environment for both oocytes and sperm, to promote optimal fertilisation rates.

USA only: Gems Fertilisation Medium is used to provide a suitable environment for both oocytes and sperm and support *in vitro* fertilisation. This medium can be used for transfer of zygotes into the uterus.

Caution: Federal law (USA) restricts this device to sale by or on the order of a physician or practitioner trained in its use.

Product Analysis

Assay	Specification	Result
pH at 37°C with 6 % CO ₂	7.3 – 7.5	Pass
Osmolality	295 – 305 mOsm/kg	Pass
MEA	MEA (1-cell): ≥80% developed to blastocyst stage or beyond by 96 hours	Pass
Endotoxin	<0.40 EU/mL	Pass
Sterility	No Growth	Pass
HSA Analysis	3.75 - 6.25 mg/mL	Pass
Gentamicin	0.0075 – 0.0125 mg/mL	Pass

Product passed and released by Quality

Signature:

Electronically signed by: Nicole Connor
Reason: QA Approval
Date: Jul 6, 2026 13:11:07 GMT+10

Name: Nicole Connor

Job Title: Quality Assurance Associate

Date: 06 Jul. 2026

Certificate of Analysis- J000007971

Final Audit Report

2026-07-06

Created:	2026-07-06 (Australian Eastern Standard Time)
By:	Nicole Connor (nicole.connor@geneabiomedx.com)
Status:	Signed
Transaction ID:	CBJCHBCAABAAPUnU8WlyZ67b7t1cyakDDm108da053D4

"Certificate of Analysis- J000007971" History

-  Document created by Nicole Connor (nicole.connor@geneabiomedx.com)
2026-07-06 - 1:08:52 PM GMT+10- IP address: 149.167.36.126
-  Document emailed to Nicole Connor (nicole.connor@geneabiomedx.com) for signature
2026-07-06 - 1:10:09 PM GMT+10
-  Nicole Connor (nicole.connor@geneabiomedx.com) authenticated with Adobe Acrobat Sign.
Challenge: The user opened the agreement.
2026-07-06 - 1:10:29 PM GMT+10
-  Email viewed by Nicole Connor (nicole.connor@geneabiomedx.com)
2026-07-06 - 1:10:34 PM GMT+10- IP address: 4.199.143.157
-  Nicole Connor (nicole.connor@geneabiomedx.com) authenticated with Adobe Acrobat Sign.
Challenge: The user completed the signing ceremony.
2026-07-06 - 1:11:05 PM GMT+10
-  Document e-signed by Nicole Connor (nicole.connor@geneabiomedx.com)
Signing reason: QA Approval
Signature Date: 2026-07-06 - 1:11:07 PM GMT+10 - Time Source: server- IP address: 149.167.36.126 - Signature Appearance Selected: DRAW
-  Agreement completed.
2026-07-06 - 1:11:07 PM GMT+10